

**Introduction** <<<<<

L-GUARD INT'L ENT CO., LTD is a special rubber-product enterprise.  
 Our products passed ISO9001:2000 quality system attestation and 3C attestation.  
 "L-GUARD" brand bicycle tyres, motorcycle tyres and ATV tyres exported to  
 America, Germany, Italy, Spain, Poland, France, Colombia, Mexico, Venezuela,  
 Iran etc. More than 50 countries and regions.



艾芬特工贸有限公司  
 L-GUARD INT'L ENTERPRISE LIMITED  
 ADD:Room B-2102, Gaohua Building, NO.2  
 Miajiang Road, Qingdao City, China  
 TEL: +86-532-80793500 85711511  
 FAX: +86-532-80793501 85798553  
 E-mail: info@l-guard.com  
 HTTP: www.l-guard.com/index.asp

ATV TIRE/MOTORCYCLE TIRE/BICYCLE TIRE



**L-GUARD** TYRE

L-GUARD INT'L ENTERPRISE LIMITED



**BICYCLE TIRE**

- MOUNTAIN BIKE TIRES
- STREET TIRES
- ELECTRIC TIRES



<b>L-104</b> 28*110 Insulation	<b>L-105</b> 28*110	<b>L-107</b> 28*110	<b>L-601</b> 28*110 28*110	<b>L-811</b> 28*1.75	<b>L-813</b> 28*1.95 24*1.95	<b>L-815</b> 24*1.75 24*1.95 24*1.95	<b>L-816</b> 28*1.95
<b>L-603</b> 28*138 24*138	<b>L-604</b> 28*138 24*138	<b>L-610</b> 24*138	<b>L-612</b> 20*2*13/4	<b>L-818</b> 28*1.05	<b>L-819</b> 28*2.125 25*2.50 28*2.10	<b>L-820</b> 28*1.75 28*1.75	<b>L-821</b> 28*1.75 24*1.75 20*1.75
<b>L-613</b> 28*110	<b>L-616</b> 28*110	<b>L-617</b> 28*110	<b>L-620</b> 28*110	<b>L-824</b> 24*1.75 28*1.75	<b>L-830</b> 24*1.50	<b>L-831</b> 20*1.75	<b>L-833</b> 24*1.95 20*2.125
<b>L-805</b> 20*2.125	<b>L-807</b> 20*1.75 22*1.75 24*1.75	<b>L-808</b> 24*1.75	<b>L-810</b> 24*1.50 28*1.50	<b>L-835</b> 28*2.125 28.75	<b>L-836</b> 20*1.95	<b>L-838</b> 28*1.95	<b>L-840</b> 28*2.10

## BICYCLE TIRE

- MOUNTAIN BIKE TIRES
- STREET TIRES
- ELECTRIC TIRES



<p><b>L-102</b> 28x112 28x138 24x134</p> 	<p><b>L-602</b> 26x138</p> 	<p><b>L-606</b> 26x138 24x138</p> 	<p><b>L-606</b> 26x138 24x138</p> 
<p><b>L-614</b> 28x112</p> 	<p><b>L-615</b> 700x23C</p> 	<p><b>L-808</b> 24x1.75</p> 	<p><b>L-809</b> 26x1.50 24x1.75</p> 
<p><b>L-812</b> 121/2x214</p> 	<p><b>L-826</b> 26x1.50</p> 	<p><b>L-827</b> 26x1.50</p> 	<p><b>L-828</b> 26x1.50 24x1.75 20x1.75</p> 
<p><b>L-832</b> 18x1.95/2.15</p> 	<p><b>L-834</b> 26x2.15/2.125 26x1.95 26x2.125</p> 	<p><b>L-840</b> 26x2.15</p> 	<p><b>L-843</b> 121/2x214</p> 

3
4

## MOTORCYCLE TIRE



<p><b>L-501-1</b> 2.5-17(BPR)</p> 	<p><b>L-502</b> 2.5-17(BPR)</p> 	<p><b>L-503</b> 2.75-18(BPR)</p> 
<p><b>L-504</b> 3.00-16(BPR)</p> 	<p><b>L-505</b> 3.50-16(BPR)</p> 	<p><b>L-506</b> 3.50-8 4.80x4.00-8 4.00-8</p> 
<p><b>L-507</b> 3.00-16(BPR) 2.75-18(BPR)</p> 	<p><b>L-508</b> 2.50-18(BPR)</p> 	<p><b>L-501-2</b> 2.75-18(BPR)</p> 
<p><b>L-501-1</b> 3.00-16(BPR) 2.75-18(BPR)</p> 	<p><b>L-510-2</b> 2.75-18(BPR)</p> 	<p><b>L-511-1</b> 2.75-17(BPR)</p> 

5
6



AMERICAN VALVE(SCHRADER) NATURAL RUBBER & BUTYL RUBBER    
 DUNLOP VALVE(ENGLISH TYPE) NATURAL RUBBER & BUTYL RUBBER    
 DUNLOP VALVE(GERMANY TYPE) NATURAL RUBBER & BUTYL RUBBER



## PACKAGING



MOTORCYCLE TYRE PACKAGE



INNER TUBES



7

## ATV TIRE



8

## ATV TIRE



9

SIZE	PLY	TREAD DEPTH(MM)	RIM WIDTH	MAX SECTION WIDTH(MM)	OVERALL TIRE DIAMETER(MM)	MAX LOAD (LBS)	PSI
145/70-8	2	8	5	145	355	165	5
16-8-00-7	4	12	6.5	165	405	175	7
18-9-50-8	4	15	7	230	457	255	10
19-7-00-8	4	15.5	5.5	177	482	220	10
19-9-50-8	4	15	7	229	482	275	10
20-7-00-8	2	7.5	5.5	177	494	165	5
20-9-50-8	4	15	7	235	510	310	10
20-10-00-10	4	12.5	8	252	509	260	5
20-11-00-10	6	18	9	268	506	330	7
21-7-00-10	6	10.5	5.5	170	535	235	7
21-8-10	2	14	5	186	535	165	4
22-7-00-10	6	12	5.5	179	553	255	7
22-8-10	6	15.5	6.5	196	554	275	7
22-10-10	6	8	8	248	562	365	32
22-11-00-10	2	13	8.5	265	556	330	5
22-12-00-8	4	16	9.5	276	600	430	5
23-5-8-00-11	2	10.5	6.5	165	602	255	5
23-10-50-12	6	15.8	8.5	260	585	1760	32
23-7-10	6	15	5.5	174	577	275	7
24-10-00-11	6	18.5	8	240	610	365	7
24-8-12	6	20	8.5	198	604	310	7
24-9-11	6	20	7	212	606	365	7
25-8-12	6	25.2	6.5	198	637	340	7
25-9-11	6	24.5	7	222	634	365	7
25-10-12	6	25.2	8	247	632	420	7
35-11-10	6	27.8	9	276	640	455	7
25-12-10	6	20	9.5	290	633	495	7
25-13-00-9	6	16	10.5	315	642	535	7
26-9-14	6	32	7	218	659	410	7
26-10-12	6	20	8	250	662	440	7
26-11-14	6	32	9	270	658	480	7
26-12-12	6	27.8	9.5	291	657	520	7
27-9-14	6	20	7	222	686	410	7
27-10-12	6	20	8	254	686	465	7
27-12-12	6	27.8	9.5	294	691	550	7

10